

currently → mphamilton@berkeley.edu

now jennifer.gee@jamesreserve.edu



JAMES SAN JACINTO MOUNTAINS RESERVE



University of California-Riverside
PO Box 1775
20950 Highway 243
Lake Fulmor
Idyllwild, CA 92549-1775

voice: (951) 659-3814
fax: (951) 659-0553
mobile: (951) 313-4099
mhamilton@jamesreserve.edu

Biological Survey of the Idyllwild County Park and Vicinity

METHODS

This biological resources survey was conducted between January 15, and July 18, 1994. Monthly, two-day surveys were divided into morning, late afternoon, and night periods. Walking transects and remote sensing image analysis were used to identify the nature and extent of the dominant and common vegetative associations and wildlife habitats. Birds were identified visually, with the aid of binoculars, and by their calls, during early morning and late afternoon transects. Mammals were identified visually and indirectly by tracks, scats, and burrows. Fifty trap nights were sampled using aluminum sherman live traps baited with peanut butter and wild bird seed. Mammal trapping was conducted during the months of April, May and June, simultaneously during the breeding bird spot map survey.

Nomenclature in this report follows University of California (1993) for vascular plants and Banks et al. (1987) for vertebrates. We consulted the California Natural Diversity Data Base (CNDDB) for information on potential populations of sensitive species. They provided a topographic map (7.5 minute) overlay showing the known occurrences of any important biotic species and communities. We found this information highly dated (the most recent element occurrence was documented in 1988!) This information, as well as information from the US. Fish and Wildlife Survey (Federal Register reports of candidate threatened and endangered species), Audubon Society, and University of California James Reserve, helped to update biodiversity records for the property and local area. The following methods synthesize the approach taken for this study.

- 1) Conduct a site survey to determine property boundaries, current and past uses of the Park, proposed uses and developments for the Park, and nearby land uses.
- 2) Develop a digital database of vegetation and wildlife habitats using recently collected digital air photography (0.3 meter resolution, true color). Classify plant communities,

Biological Survey of the Idyllwild County Park

Michael P. Hamilton

University of California-James San Jacinto Mountains Reserve

Wintergreen (*Pyrola picta* ssp. *integra*). The **montane riparian forest** (MRF) occurs along the main stem of Lily Creek. Floristically, the dominant species are primarily the same as the MCF, however, the density of trees is much greater within the riparian zone, especially considering the abundance of **incense cedar** (*Calocedrus decurrens*), **California black oak** (*Quercus kelloggii*), and **canyon live oak** (*Quercus chrysolepis*). Species unique to the MRF include **willow** (*Salix lasiolepis*), and **white alder** (*Alnus rhombifolia*), and numerous species of herbaceous perennials such as **Sierra current** (*Ribes nevadense*) and **monkey flower** (*Mimulus* spp.). Water was flowing during our survey. We noted a total of 51 species of vascular plants uniquely associated with the MRF.

Montane Chaparral (MC): Nearly all of the middle and upper slopes support chaparral vegetation of various species and communities. South facing slopes tend to be more open with some rock and exposed soil showing between shrubs of **chamise** (*Adenostema fasciculatum*), **Interior Live oak** (*Quercus wislezinii*) and **buckwheat** (*Eriogonum fasciculatum*). Less exposed slopes support dense and almost impenetrable stands of **manzanita** (*Arctostaphylos pringlei* var. *drupaceae*, *A. glandulosa*), **interior live oak** (*Quercus wislizinii*), and **whitethorn** (*Ceanothus leucodermis*). Secondary dominants include **coffeeberry** (*Rhamnus californica*), **deerbrush** (*Ceanothus intergerrimus*) and **woolly blue curls** (*Trichostemma lanatum*). **Coulter Pine** (*Pinus coulteri*) is common within older stands of montane chaparral. A total of 98 species of plants were identified in this association.

Montane Meadows and Grasslands (MM): This plant community occurs on seasonally or perennially moist soils which are not dominated by tree cover. Two microhabitat types within the Park's meadow exist, a dry to mesic meadow dominated by herbaceous perennials such as **sedges** (*Carex* spp.), **rushes** (*Juncus* spp.), **deergrass** (*Muhlenbergia rigens*), **bracken** (*Pteridium aquilinum*) and **nettle** (*Urtica* spp.), and mesic to moist meadow supporting numerous grass species such as **needlegrass** (*Stipa* spp.), **Squirreltail grass** (*Sitanion hystrix*), and a great diversity of wildflowers including **Mariposa Lily** (*Calochortus* spp.), **Blue Dicks** (*Dichelostemma* spp.), **Blue Bells** (*Gila* spp.), and **Silver Lupine** (*Lupinus excubitus*). Grasslands, similar in species composition to seasonally wet meadows, are developed on openings or gaps in the mixed conifer forest and montane chaparral where sufficient soil depth provides adequate moisture retention. The Montane Meadow vegetation Association supports 73 species of vascular plant.

Biological Survey of the Idyllwild County Park
 Michael P. Hamilton
 University of California-James San Jacinto Mountains Reserve

Table 1a.-- Protected/sensitive vertebrate species known or expected to occur near the Idyllwild Park (source: CNDB, 1994, USDA Forest Service, San Jacinto Ranger District, Federal Register 56:225, Nov. 21, 1991).

Element	Status	Nearest Known Location
Spotted bat <i>Euderma maculatum</i>	C2, NF	observed on site
Pacific western big-eared bat <i>Plecotus townsendii townsendii</i>	C2	<5 mile from site
San Bernardino northern flying squirrel <i>Glaucomys sabrinus californicus</i>	C2	<5 mile from site
Northwestern San Diego pocket mouse <i>Perognathus fallax fallax (Chaetodipus)</i>	C2	<10 mile from site
California spotted owl <i>Strix occidentalis</i>	C2	observed on site
Southern bald eagle <i>Haliaeetus leucocephalus</i>	FE/CE	<5 miles from site
Mountain quail <i>Oreotyx pictus</i>	C2, NF	observed on site
San Diego horned lizard <i>Phrynosoma coronatum blainvilliei</i>	C2	<5 mile from site
Coastal western whiptail <i>Cnemidophorus tigris umbratica</i>	C2	observed on site
Southern sagebrush lizard <i>Sceloporus graciosus vandenburgianus</i>	C2	observed on site
San Diego Mountain kingsnake <i>Lampropeltis zonata</i>	C2, CR	observed on site
San Diego ringneck snake	C2	observed on site

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Diadophis punctatus similis

Southern rubber boa CT <5 mile from site
Charina bottae umbratica

Large-blotched ensatina C2 observed on site
Ensatina escholtzii klauberi

Mountain yellow-legged frog C2, NF, CR <10 miles from site
Rana muscosa

FE = Federally endangered, C2 = Federal Candidate 2, CE = California endangered, CT = California threatened species, CR= California rare, CNPS = California Native Plant Society (CNPS) List 1B. NF= National Forest Sensitive Species

Biological Survey of the Idyllwild County Park

Michael P. Hamilton

University of California-James San Jacinto Mountains Reserve

Table 1b.-- Protected/sensitive plant species known or expected to occur near the Idyllwild Park (source: CNDB, 1994, USDA Forest Service, San Jacinto Ranger District, Federal Register 55:35, Feb. 21, 1990).

Element	Status	Nearest Known Location
California bedstraw <i>Galium californicum</i> ssp. <i>prinum</i>	CNPS,NF	<5 mile from site
California penstemon <i>Penstemon californicus</i>	C1, CNPS, NF	<15 mile from site
Hall's Monardella <i>Monardella macrantha</i> var. <i>hallii</i>	CNPS, NF	<25 miles from site
Hidden Lake Blue Curls <i>Trichostemma austalmontanum</i> ssp. <i>compactum</i>	C1, CR, CNPS	<10 mile from site
Johnston's rock cress <i>Arabis johnstonii</i>	C2, CNPS, NF	<15 mile from site
Lemon lily <i>Lilium parryi</i> var. <i>parryi</i>	C2, CNPS, NF	on site
Munz's hedgehog <i>Echinocereus engelmannii</i> var. <i>munzii</i>	C2, CNPS, NF	<15 mile from site
Parish's chaenactis <i>Chaenactis parishii</i>	C2, CNPS	<5 mile from site
San Jacinto spiny phlox <i>Leptodactylon jaegeri</i>	C3c, CNPS,NF	<10 miles from site
Shaggy-haired alum root <i>Heuchera hirsutissima</i>	CNPS	<15 miles from site
Slender-horned spine flower <i>Dodecahama leptoceras</i>	FE, CE,NF	<15 mile from site
Tahquitz ivesia	C3c, CR,NF	<10 miles from site

Biological Survey of the Idyllwild County Park

Michael P. Hamilton

University of California-James San Jacinto Mountains Reserve

Ivesia callida

Ziegler's tidy tips

C1, CNPS, NF <10 mile from site

Layia ziegleri

FE = Federally endangered, C2 = Federal Candidate 2, CE = California endangered, CT = California threatened species, CR= California rare, CNPS = California Native Plant Society List 1B, NF= San Bernardino National Forest Sensitive Species

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

APPENDICES

Appendix 1. -- FLORISTIC LIST FOR THE IDYLLWILD PARK AND VICINITY, IDYLLWILD, CALIFORNIA

VEGETATION TYPE

- F mixed conifer and oak forests
- C montane chaparral and woodlands
- R montane riparian and ravine forests
- M meadows and grassland openings

FREQUENCY

- common
- uncommon
- rare

Taxonomy:
Munz, P. A. 1974. A Flora of Southern California

University of California, 1993. The Jepson Manual Higher Plants of California

LYCOPODIAE Club-mosses

SELAGINELLACEAE Spike-moss family

Selaginella asprella Maxon.
F,C uncommon C

EQUISETAE Horsetails

EQUISETACEAE Horsetails family

Equisetum hyemale L. var. *affine* (Engelm.) A.A. Eat.
horsetail
R,M common

FILICAE Ferns

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

ASPIDIACEAE

Athyrium felix-femina (L.) Roth var. *californicum*
Butters. Lady fern
R,M common SL

Cystopteris fragilis (D.) Bernh.
Brittle fern
R uncommon

Polystichum munitum (Kaulf.) Presl. subsp. *curtum* Ewan. Sword
fern
F rare

BLECHNACEAE

Woodwardia fimbriata Sm. in Rees.
Chain fern
R rare

PTERIDACEAE

Cheilanthes covillei Maxon.
Lip fern
F uncommon

Pteridium aquilinum (L.) Kuhn var. *pubescens* Underw.
Bracken fern
R,M common

CONIFERAЕ Cone-bearing plants

CUPRESSACEAE Cypress family

Calocedrus decurrens (Torr.) Florin.
Incense-cedar
F common

PINACEAE Pine family

Pinus coulteri D. Don.
Coulter pine
F,C common

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

P. jeffreyi Grev & Balf. in A. Murr.
Jeffrey pine
F,R common

P. lambertiana Dougl.
Sugar pine
F common

ANGIOSPERMS DICOTYLEDONES Dicots

AMARANTHACEAE Amaranth family

Amaranthus albus L.
Tumbleweed
F,C uncommon N

APIACEAE Carrot family

Angelica tomentosa Wats.
F common C

Tauschia parishii (Coulter. & Rose) Macbr.
F,C common C

APOCYNACEAE Dogbane family

Apocynum adrosaemifolium L.
Indian hemp
F,C,M uncommon SL

ASCLEPIADACEAE

Asclepias californica E.Greene
California milkweed
C,M common

ASTERACEAE Sunflower family

Achillea millefolium L.
Yarrow
R,M common

Artemisia dracunculus L.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Tarragon
M common

A. ludoviciana Nutt. ssp. *ludoviciana*.
R,M common SL

Chrysothamnus nauseosus (Pall.) Britton. ssp. *bernardinus* (Hall) Hall &
Clem.
F,C common SC

Cirsium vulgare (Savi) Ten.
Bull thistle
M,C uncommon N

Corethrogyne filaginifolia (H.&A.) Nutt. var. *glomerata* Hall.
F,C,M common C

Erigeron foliosus Nutt.
Fleabane
F,C common C

Eriophyllum confertiflorum (DC.) Gray.
Golden-yarrow
F,C,M common C

Gnaphalium palustre Nutt.
Everlasting
M,R uncommon

G. thermale E. Nels.
R,F common

Haplopappus cuneatus Gray.
Wedge-leaved goldenbush
F,C uncommon

Hulsea vestita Gray. ssp. *callicarpa* (Hall) Wilken.
F,C common P

Lessingia glandulifera Gray. var. *glandulifera*.
F common C

Madia minima (Gray) Keck.
Minute tarweed

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

C,F common

Solidago californica Nutt.
California goldenrod
M,R,F common

Stephanomeria virgata Benth.
F,C common

Tragopogon porrifolius L.
Salsify
F,C uncommon N

BETULACEAE Birch family

Alnus rhombifolia Nutt.
White alder
R common

BORAGINACEAE Borage family

Cryptantha intermedia (Grav) Greene.
hiddenflower
C,F common

C. micrantha (Torr.) Jtn.
F,C common

C. muricata (H.&A.) Nels. & Macbr.
F,C common C

C. simulans Greene
F common

BRASSICACEAE Mustard family

Arabis glabra (L.) Bernh.
Tower-mustard
F uncommon

A. pulchra Jones.
F,C common

Erysimum capitatum (Dougl.) Greene.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Wallflower
F common

Lepidium virginicum L.
Peppergrass
M,F,C common C

Sisymbrium altissimum L.
Tumble-mustard
F,C uncommon N

Streptanthus bernardinus (Greene) Parish.
San Bernardino twisted flower
C,F uncommon SC

CAMPANULACEAE Bellflower family

Nemacladus longiflorus Gray, var. *longiflorus*.
Long-flowered threadbranch
M,F common C

N. sigmoideus Robbins.
M,F uncommon C

Triodanis biflora (R.&P.) McVaugh.
M,F uncommon

CAPRIFOLIACEAE Honeysuckle family

Lonicera subspicata H.&A. var. *johnstonii*.
Chaparral honeysuckle
F,C common C

CARYOPHYLLACEAE Pink family

Sagina decumbens (Elliot) Torrey & A.Gray ssp.
occidentalis S. Wats.
F uncommon

Silene verecunda S.Wats. ssp. *platylota* (Wats.) Hitch. &
Maguire
F,R common C

Spergularia rubra (L.) J.&C. Presl.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Sand-spurrey
M,F uncommon N

CHENOPODIACEAE Goosefoot family

Chenopodium berlandieri Moq. var *sinuatum* (J. Murr.) Wahl.
F uncommon

C. desiccatum Nels. var. *leptophylloites* (J. Murr.) H.A. Wahl.
F common SL

C. incognitum H.W. Wahl.
F uncommon SL

CONVOLVULACEAE Morning-glory family

Calystegia fulcrata (Gray) Brummitt.
Morning-glory
C,M,F common C

DATISCACEAE Datisca family

Datisca glomerata (Presl) Baill.
Durango root
F,C uncommon C

ERICACEAE Heath family

Arctostaphylos glandulosa Eastw.
Eastwood manzanita
C,F common

A. pringlei Parry var. *drupacea* Parry.
Pink-bracted manzanita
F,C common

A. pungens HBK.
Mexican manzanita
C,F common

Pterospora andromedea Nutt.
Pinedrops
F common

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Pyrola picta Sm.
Wintergreen
F common

Sarcodes sanguinea Torr.
Snow plant
F uncommon

EUPHORBIACEAE Spruge family

Euphorbia palmeri Engelm.
Spurge
M,F,C common

E. serpyllifolia Pers.
F,C common

FABACEAE Pea family

Lotus crassifolius (Benth.) Greene.
Thick-leaved lotus
F,C common

L. nevadensis Greene.
Nevada lotus
F,C common

L. oblongifolius (Benth.) Green.
Oblong-leaved lotus
F,C common C

L.strigosus (Nutt. in T.&G.) Greene.
F.C common C

Lupinus concinnus J. Agardh.
F,C common

L. excubitus Jones var. *austromontanus* (Heller) C.P. Sm.
F,C common SC

L. formosus Greene. var. *hyacinthinus* (Greene) C.P. Sm.
F common SC

L. latifolius Agardh var. *parishii* C.P. Sm.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

R,C common C

L. polycarpus Greene.
C uncommon

Trifolium cyathiferum Lindl.
M,F uncommon

T. microcephalum Pursh.
F uncommon

T. obtusiflorum Hook.
R,F uncommon

FAGACEAE Beech family

Quercus chrysolepis Liebm.
Canyon live oak
F,C common

Q. dumosa Engelm..
California scrub oak
C common

Q. kelloggii Newb.
California black oak
F common

Q. wislizenii A. DC. var. *frutescens* Engelm.
Interior live oak
C,F common C

GENTIANACEAE Gentian family

Frasera parryi Torr.
Green gentian
M,F uncommon

GERANIACEAE Geranium family

Erodium cicutarium (L.) L'Her.
Storksbill
M,F,C common N

HYDROPHYLLOACEAE Water-leaf family

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Nemophila spatulata Cov.
M,F common SL

Phacelia imbricata Greene.
C,F common C

HYPERICACEAE St. John's wort family

Hypericum anagalloides Cahm. & Schlecht.
Tinker's penny
M,R uncommon

H. formosum HBK. var. *scouleri* (Hook.) Coul.
St. John's wort
M,R uncommon

LAMIACEAE mint family

Mentha spicata L. Spearmint
R uncommon N

Monardella lanceolata Gray.
Pennyroyal
M,C,F common C

M. nana Gray. ssp. *tenuiflora* (Wats.) Abrams.
F,C common P

Scutellaria austinae Eastw.
Skullcap
F common C

Stachys rigida Nutt. ex. Benth. ssp. *rigida*.
Hedge-nettle
M,R common

T. lanatum Benth.
Wooly bluecurls
C uncommon C

LAURACEAE Laurel family

Umbellularia californica (H.&A.) Nutt.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

California-bay
F,C uncommon

LINACEAE Flax family

Linum lewisii Pursh.
Flax
M uncommon

LOASACEAE Stick-leaf family

Mentzelia congesta T. & G.
M,C uncommon

MALVACEAE

Sidalcea malvaeflora(DC.) Benth
Checkerbloom
M,R uncommon

Sphaeralcea ambigua A. Gray var. *rosacea* Kearney
Globemallow
C uncommon

ONAGRACEAE Evening-primrose family

Camissonia hirtella (Greene) Raven.
M,C common C

C. intermedia Raven.
M,C common C

Clarkia rhomboidea Dougl.
C,F common

Epilobium brevistylum Barb. Willow-herb
R common SL

E. glabberimum Barb.
R common SL

E.lactiflorum hausskn.
R common SL

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Gayophytum diffusum T.&G. ssp. *parviflorum* Lewis &
Szweykowski.
C,F common

Oenothera hookeri T.&G.
M,F uncommon

Zauschneria californica Presl. ssp. *latifolia* (Hook.) Keck.
California-fuschia
F,C common

OROBANCHACEAE Broomrape family

Orobanche uniflora L. ssp. *occidentalis* Ferris
F uncommon SL

PLANTAGINACEAE Plantain family

Plantago lanceolata L.
Kibgrass
M,C common N

POLEMONIACEAE Phlox family

Eriastrum densifolium (Benth.) Mason. subsp.
austromontanum (Craig) Mason.
M,F,C common SC

Gila capitata Sims ssp. *abrotanifolia* (Nutt. ex Greene) V. Grant.
C,F common SC

G. ochroleuca Jones spp. *exilis* (Gray) A. & V. Grant.
C,F uncommon SC

G. sinuata Dougl. ex Benth.
F uncommon

G. splendens Dougl. ex Lindl. spp.*splendens*.
F common C,SL

Linanthus ciliatus (Benth.) Greene.
M,F common

POLYGONACEAE Buckwheat family

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Eriogonum apiculatum Wats.

F common P

E. davidsonii Greene.

F,M,C common C

E. fasciculatum Benth. ssp. *paucifolium* (Benth.) Stokes.

California buckwheat

C,F common

E. nudum Dougl. ex Benth. var. *pauciflorum* (Wats.) Munz,
comb. nov..

C,F common SC

E. parishii Wats.

F uncommon C

E. saxatile Wats.

C,F uncommon SL

E. wrightii Torr. ex Benth. *membranaceum* Stokes.

M,F common SC

Oxytheca trilobata Wats.

C,M uncommon

Rumex californicus Rech. f.

R,M common

PORTULACACEAE- Purslane family

Calyptidium monandrum Nutt. in T.&G.

C,M uncommon

Claytonia perfoliata Donn.

Miner's-lettuce

F,R,M common

C. spathulata Dougl. ex Hook.

M,R,F common

RANUNCULACEAE Crowfoot family

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Aquilegia formosa Fisch. in DC.

Columbine

R common

Clematis ligusticifolia Nutt. in T.&G.

R,M uncommon

Thalictrum fendleri Engelm. ex Gray.

Meadow-rue

F common

RHAMNACEAE Buckthorn family

Ceanothus integerrimus H.&A. Deer brush

C,F common C

C. leucodermis Greene.

Whitethorn

F,C common C

C. palmeri Trel.

F common C

Rhamnus californicus Eschsch

California Coffeeberry

F,C,M common

ROSACEAE Rose family

Adenostoma fasciculatum H.&A.

Chamise

C common C

Cercocarpus betuloides Torrey & A. Gray var. *betuloides*

Mountain Mahogany

C common

Fragaria vesca L. ssp. *californica* (C.&S.) Standt.

F,R common C

Horkelia bolanderi Gray ssp. *clevelandii* (Greene) Keck.

F,M,R common C,NL

Potentilla glandulosa Lindl.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Cinquefoil
M,F common

Prunus emarginata (Dougl.) Walp.
Bitter cherry
C,F common

Rosa californica C.&S.
R,M common

Rubus parviflorus Nutt.
Thimbleberry
R uncommon

RUBIACEAE Madder family

Galium angusticifolium Nutt.
Bedstraw
M,C,F common

G. aparine L.
C,F common N

SALICACEAE Willow family

Salix lasiolepis Benth. var. *lasirolepis*.
Arroyo willow
R common

S. lutea Nutt. var. *watsonii* (Bebb) Jeps.
R common C,SL

SAXIFRAGACEAE Saxifrage family

Lithophragma affine Gray ssp. *mixtum* R. L. Taylor.
Woodland-star
M,C,F common SC

Ribes malvaceum Sm. var. *viridifolium* Abrams.
Chaparral currant
C,F uncommon SC,SL

R. nevadense Kell.
Sierra currant

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

R common

R. roezlii Regel.
Sierra gooseberry
F uncommon C

SCROPHULARIACEAE Figwort family

Antirrhinum coulterianum Benth. in DC.
Snapdragon
M,C uncommon SC

Castilleja martinii Abrams. var. *martinii*.
Paint-brush
F,C common C

C. stenantha Gray.
R,M uncommon C

Collinsia concolor Greene.
Chinese houses
C,F uncommon SC

Cordylanthus filifolius Nutt. ex Benth. in DC.
Bird's-beak
C,M,F common SC

Keckiella ternata (Torr. ex Gray) Straw ssp. *ternata*.
C common SC

Mimulus brevipes Benth.
Monkey-flower
F,C,M common SC

M. cardinalis Dougl. ex Benth.
Scarlet monkey-flower
R common

M. floribundus Dougl. ex Lindl.
F common

M. fremontii (Benth.) Gray.
F,C common C

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

M. guttatus Fisch. ex DC ssp. *guttatus*.
R common

M. longiflorus (Nutt.) Grant ssp. *longiflorus*
Bush monkey-flower
C,F common SC

M. moschatus Dougl. ex Lindl.
R common

M. pilosus (Benth.) Wats.
F,C common

Pedicularis semibarbata Gray.
Lousewort
F rare

Penstemon bridgesii Gray.
Beard-tongue
C,F common

P. centranthifolius Beneth.
Scarlet bugler
F,C common C

P. spectabilis Thurb. ex Gray.
Showy beard-tongue
C common SC

Scrophularia californica C.&S. var. *floribunda* Greene.
C common C

Verbascum thapsus L.
Common mullien
F,M uncommon N
URTICACEAE Nettle family

Urtica holosericea Nutt.
M,R common

VIOLACEAE Violet family

Viola purpurea Kell. not Stev.
Violet

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

F,C common

VISCACEAE Mistletoe family

Arceuthobium campylopodum Engelm. in Gray.
F common

Phoradendron juniperinum Engelm. ex Gray. ssp. *libocedri*
(Englm.) Wiens.
F common

P. villosum (Nutt. in T. & G.) Nutt.
F common

MONOCOTYLEDONES Monocots

AGAVACEAE Agave family

Yucca whipplei Torr. ssp. *whipplei*. Our Lord's candle
C,F common SC

AMARYLLIDACEAE Amaryllis family

Allium burlewii A. Davids.
Wild onion
C,F uncommon C,SL

Bloomeria crocea (Torr.) Cov. var. *crocea*.
Golden stars
M,F uncommon SC

Dichelostemma pulchella (Salisb.) Heller.
Blue dicks
M,F common

CYPERACEAE Sedge family

Carex fracta Mkze.
Sedge
M,F common

C. multicaulis Bailey.
M,R common

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

C. nebrascensis Dewey.
R common

Cyperus aristatus Rottb.
Umbrella-sedge
R,F uncommon

Eleocharis montevidensis Kunth.
Spike-rush
R uncommon

JUNCACEAE Rush family

Juncus balticus Willd.
Rush
R common

J. effusus L. var. *pacificus* Fern. & Wieg.
R uncommon

J. kelloggii Engelm.
F uncommon

J. macrandus Cov.
R uncommon C,SL

J. rugulosus Engelm.
R uncommon SC

J. sphaerocarpus Nees.
R uncommon

Luzula comosa E. Mey.
Wood rush
R.F common

LILIACEAE Lily family

Calochortus splendens Dougl. ex Benth.
Mariposa-lily
M,F,C uncommon C

Lilium parryi Wats.
Lemon Lily

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

R uncommon

Nolina parryi S. Watson
Beargrass
C uncommon SC

Yucca whipplei Torr
Our Lord's candle
C,F common SC

ORCHIDACEAE Orchid family
Corallorrhiza maculata Raf.
Coral root
F uncommon

Epipactis gigantea Dougl. ex Hook.
Stream orchis
R uncommon

POACEAE Grass family

Agropyron parishii Scribn. & Sm.
Wheat grass
M,F common C

A. trachycaulum (Link) Malte.
M,F uncommon SL

Agrostis scabra Willd.
Bentgrass
M,R uncommon SL

Alopecurus aequalis Sobol.
Foxtail
F,M,R uncommon

Bromus marginatus Nees.
Brome grass
F,C common

B. orcuttianus Vasey.
M,F common

B. tectorum L.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Downy brome
M,F,C common N

Elymus glaucus Buckl.
Ryegrass
R,M common

Festuca confusa Piper.
Fescue
M,F uncommon

F. grayi (Abrams) Piper.
M,F uncommon

F. megalura Nutt.
F common

F. microsachys Nutt.
M,F uncommon

Koeleria macrantha (Ledeb.) Spreng.
Junegrass
M,F uncommon

Muhlenbergia rigens (Benth.) Hitchc.
Deergrass
C,M,F common C

Poa annua L.
Wintergrass
F uncommon N

P. pratensis L.
Kentucky bluegrass
R uncommon

P. scabrella (Thurb.) Benth. ex Vasey.
F uncommon

Sitanion hystrix (Nutt.) J.G. Sm. var. *hystrix*.
Squirretail
M,F,C common

Stipa latiglumis Swall.

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Needlegrass
C,F uncommon C,SL,SN

Appendix 2. -- Birds observed or known to occur

at the Idyllwild Park and vicinity

(Species observed are listed in **bold** type)

HABITAT TYPE

- F mixed conifer and oak forests
- C montane chaparral and woodlands
- R montane riparian and ravine forests
- M meadows and grassland openings

FREQUENCY

- common
- uncommon
- rare

PROTECTION CODES

California Status (DFG):	Federal Status (USFWS):	Other Codes:
CE --State Endangered	FE --Federally Endangered	B - Blue Book (1978)
CT --State Threatened	FT--Federally Threatened	I - Introduced
CFP--Fully Protected	FP--Fully Protected	
CSC--Special Concern	FEP--Proposed Endangered	
SC --Watch List	F2--Candidate for Listing	

Order Falconiformes

Golden Eagle

F,C, uncommon CFP, CSC

Sharp-shinned Hawk

F,C rare CSC, B

Cooper's Hawk

F,R uncommon CSC,B

Red-tailed Hawk

F,C,M common

American Kestrel

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

C,M uncommon CSC

Order Galliformes

California Quail
C uncommon

Mountain Quail
F,C,M,R common

Order Columbiformes

Band-tailed Pigeon
F,M common

Mourning Dove
F,M,C common

Order Strigiformes

Western Screech Owl
F,R uncommon

Great Horned Owl
F,C,M,R common

California Spotted Owl
F,R rare FPT, SCT

Flammulated Owl
F rare

Pygmy Owl
F,M uncommon

Saw Whet Owl
F rare

Order Caprimulgiformes

Common Poorwill
C,F,M uncommon

Whip-poor-will

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

F uncommon

Order Apodiformes

Black Swift

R rare

White-throated Swift

F,M uncommon

Anna's Hummingbird

F,C,M,R common

Rufous Hummingbird

F,C,M,R common

Calliope Hummingbird

F,C, uncommon

Blackchinned Hummingbird

C,M rare

Belted Kingfisher

R rare

Order Piciformes

Acorn Woodpecker

F,C,M,R common

Hairy Woodpecker

F,R common

Downy Woodpecker

F,R uncommon

Yellow-bellied Sapsucker

F,R rare

Red-breasted Sapsucker

F,R uncommon

Williamson's Sapsucker

F rare

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Nuttall's Woodpecker
F uncommon

White-headed woodpecker
F,R common

Flicker
F,C,M,R common

Order Passiformes

Ash-throated Flycatcher
F,R common

Western Kingbird
F,C,M,R common

Western Flycatcher
C,M,R common

Western wood peewee
F uncommon

Dusky Flycatcher
F,R uncommon

Olive-sided Flycatcher
F,R common

Black Phoebe
R common

Western Kingbird
F,C,M,R common

Violet-green Swallow
F,M,R common

Stellar's Jay
F,C,M,R common

Scrub Jay
F,C,M common

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Pinyon Jay
C,M uncommon

Common Raven
F,C,M,R common

Plain Titmouse
F,C,M common

Bushtit
C common

Mountain Chickadee
F,R common

White-breasted Nuthatch
F,R common

Pygmy Nuthatch
F,R common

Red-breasted Nuthatch
F,M,R uncommon

House Wren
F,C,M,R common

Ruby-crowned Kinglet
F,R uncommon

Western Bluebird
F,M,R common

American Robin
F,M,R common

Hermit Thrush
F,R common

Yellow-rumped Warbler
F,C,M,R common

Wilson's Warbler

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

F,C,M,R rare

Rufous-sided Towhee
F,C common

California Towhee
C uncommon

Fox Sparrow
F,M,R common

Dark-eyed Junco
F,C,M,R common

Western Tanager
F,C,M,R common

Lawrence's Goldfinch
F,C,M,R common

Cassin's Finch
F,C,R uncommon

House Finch
F,C,M,R common

Appendix 3. -- Amphibians and reptiles observed or known to occur at the Idyllwild Park and vicinity

(Species observed are listed in bold type)

HABITAT TYPE

- F mixed conifer and oak forests
- C montane chaparral and woodlands
- R montane riparian and ravine forests
- M meadows and grassland openings

FREQUENCY

- common
- uncommon
- rare

PROTECTION CODES

California Status (DFG): Federal Status (USFWS): Other Codes:

- | | | |
|-----------------------|---------------------------|----------------|
| CE --State Endangered | FE --Federally Endangered | I - Introduced |
| CT --State Threatened | FT--Federally Threatened | |
| CFP--Fully Protected | FP--Fully Protected | |
| CSC--Special Concern | FEP--Proposed Endangered | |
| SC --Watch List | F2--Candidate for Listing | |

Order Anura

Pacific treefrog
F,R common

Western Toad
M.R common

Ensatina salamander (large blotched)
F,R uncommon

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Order Squamata

Western Fence Lizard
F,C,M,R common

Sagebrush Lizard
F,C,M common F2

Granite Spiny Lizard
F,C common

Side-blotched Lizard
C,M common

Western Skink
F,C,M,R common

Coastal Western Whiptail
C common C2

San Diego Alligator Lizard
F,C,M,R common

San Diego Horned Lizard
C, M uncommon C2

California Striped Racer
F,C,M,R common

San Diego Gopher Snake
F,C,M,R common

San Diego Mountain Kingsnake
F,R uncommon

Southern Pacific Rattlesnake
F,C,M,R common

Speckled Rattlesnake
C uncommon

**Appendix 4. -- Mammals observed or known to occur
at the Idyllwild Park and vicinity**

(Species observed are listed in **bold** type)

HABITAT TYPE

- F mixed conifer and oak forests
- C montane chaparral and woodlands
- R montane riparian and ravine forests
- M meadows and grassland openings

FREQUENCY

- common
- uncommon
- rare

PROTECTION CODES

California Status (DFG):	Federal Status (USFWS):	Other Codes:
CE --State Endangered	FE --Federally Endangered	B - Blue Book (1978)
CT --State Threatened	FT--Federally Threatened	I - Introduced
CFP--Fully Protected	FP--Fully Protected	
CSC--Special Concern	FEP--Proposed Endangered	
SC --Watch List	F2--Candidate for Listing	

Order Insectivora

Sorex ornatus ornatus
Ornate Shrew
F,C,M,R uncommon

Notiosorex crawfordi crawfordi
Gray Shrew
F,C,M,R common

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Scapanus latimanus occultus
Broad-handed Mole
F,C,M,R common

Order Chiroptera

Myotis thysanodes thysanodes
Fringed Myotis
F,C,M,R uncommon

Myotis californicus californicus
California Myotis
F,C,M,R common

Myotis volans interior
Long-legged Myotis
F,C,M,R uncommon

Eptesicus fuscus pallidus
Big Brown Bat
F,C,M,R common

Pipistrellus hesperus merriami
Western Pipistrelle
F,C,M,R uncommon

Plecotus townsendii pallescens
Western Big-eared Bat
F,C,M,R uncommon CSC, F2

Tadarida brasiliensis mexicana
Mexican Free-tailed Bat
F,C,M,R uncommon

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Order Lagomorpha

Sylvilagus bachmani
Audubons Cottontail
C,M common

Order Rodentia

Spermophilus beecheyi nudipes
California Ground Squirrel
F,C,M,R common

Sciurus griseus
California Gray Squirrel
F,C,M,R common

Thomomys bottae nigracans
Botta Pocket Gopher
F,C,M,R common

Eutamias merriami
Merriam's Chipmunk
F,C,M,R common

Dipodomys agilis
Pacific Kangaroo Rat
C,M common

Perognathus fallax fallax
San Diego Pocket Mouse
C uncommon F2

Peromyscus californicus insignis
California Mouse
F,C,M common

Peromyscus maniculatus gambelii
Deer Mouse
F,C,M,R common

Microtus californicus sanctidiegi
California Vole
M uncommon

Biological Survey of the Idyllwild County Park
Michael P. Hamilton
University of California-James San Jacinto Mountains Reserve

Order Ferae

Canis latrans clepticus

Coyote

F,C,M,R common

Urocyon cinereoargenteus californicus

Gray Fox

F,C,M,R common

Procyon lotor psora

Raccoon

F,C,M,R common

Mustela frenata latirostra

Long-tailed Weasel

F,C,R uncommon

Spilogale putorius microrhina

Spotted Skunk

F,C,M,R uncommon

Mephitis mephitis holzneri

Striped Skunk

F,C,M,R common

Felis concolor californica

Mountain Lion

F,C,M,R common

Lynx rufus californicus

Bobcat

F,C,M,R common

Order Artiodactyla

Odocoileus hemionus fuliginata

Mule Deer

F,C,M,R common